Journal of Testing and Evaluation
Author Index
Volume 28, 2000

Number	Month of Issue	Pages
1	January	1–66
2	March	67–139
3	May	141–227
4	July	229–335
5	September	337–423
6	November	425–547

A

Abdel-Halim, MAH and Obaidat, MT: Assessment of Misalignments in Some Selected Buildings in Jordan and Their Structural Effects, Nov., 485

Achari, G: *see* Joshi, RC, Chatterji, S, Achari, G, and Mackie, P

B

Badr, EA, Sorem, JR, and Tipton, SM: Evaluation of the Autofrettage Effect on Fatigue Lives of Steel Blocks with Crossbores Using a Statistical and a Strain-Based Method, May, 181

Balasubramonian, S: *see* Pandian, NS and Balasubramonian, S

Baratta, FI and Fett, T: The Effect of Load and Crack Misalignment on Stress Intensity Factors for Bend-Type Fracture Toughness Specimens, March, 96

Batista, AC and Dias, AM: Characterization of Mechanical Properties in Surface-Treated Materials, May, 217

Beaumont, RD: Injuries Due to Traditional and Soft-Core Centered Baseball Impacts: A Review, May, 155

Beers, PE and Yarosh, KF: Remedial Sealant Procedures for Fixed Glass and Curtain Walls, March, 131

Beynon, JH: *see* Fletcher, DI and Beynon, JH

Biempica, CB: *see* Varela, F, Martinez, LT, Gonzales, GR, and Biempica, CB

Booth, JR: *see* Manohar, K, Yarbrough, DW, and Booth, JR

Britton, PW: Method-Specific Precision and Bias Relationships Developed from Data Submitted During USEPA Wastewater Laboratory Performance Evaluation Studies, Nov., 526

Bronski, MB and Ruggiero, SS: Exterior Insulation and Finish Systems (EIFS) Use in Wood-Framed Residential Construction: Design Concepts to Avoid Common Moisture Intrusion Problems, July, 290

Burgess, G: Extension and Evaluation of Fatigue Model for Product Shock Fragility Used in Package Design, March, 116

Burgess, G, Singh, P, and Knudsen, E: Evaluation of the Gavarti Associates—Comprehensive Abrasion Tester, Sept., 420

C

Chaput, MP: *see* Kisielewski, RW, Routson, LB, Chaput, MP, and Lytle, CD

Chatterji, S: *see* Joshi, RC, Chatterji, S, Achari, G, and Mackie, P

Chen, D, Gilbert, CJ, and Ritchie, RO: In Situ Measurement of Fatigue Crack Growth Rates in a Silicon Carbide Ceramic at Elevated Temperatures Using a DC Potential System, July, 236

Chitrapu, S: *see* Hossain, MS, Chowdhury, T, Chitrapu, S, and Gisi, AJ

Chiu, KY: *see* MacGregor, ID and Chiu, KY

Chowdhury, T: *see* Hossain, MS, Chowdhury, T, Chitrapu, S, and Gisi, AJ

Chrzanowski, K, Fischer, J, Gutschwager, B, and Wrona, W: Testing of Thermal Imagers for Nondestructive Thermal Testing Applications, Sept., 395

Chua, PSK: *see* Tan, ACH, Chua, PSK, and Lim, GH

Conyers, MD: *see* Farquhar, T, Conyers, MD, and Dixon, JT

Cooley Jr., LA and Kandhal, PS: Evaluation of Density Gradients in Loaded Wheel Tester Samples, Nov., 473

Crouch, LK: *see* Sauter, HJ and Crouch, LK

D

Dias, AM: *see* Batista, AC and Dias, AM

Divinsky, M: Repeatability Analysis of Road Roughness Measurements, Sept., 378

Dixon, JT: *see* Farquhar, T, Conyers, MD, and Dixon, JT

E

Earthman, JC: *see* Savas, TP and Earthman, JC

Epps, JA: *see* Hand, AJ, Epps, JA, and Sebaaly, PE

F

Farquhar, T, Conyers, MD, and Dixon, JT: Measurement of Anchor Strength in Non-Rigid Substrates, March, 112

Fett, T and Munz, D: Measurement of Young's Moduli for Lead Zirconate Titanate (PZT) Ceramics, Jan., 27

Fett, T: *see* Baratta, FI and Fett, T

Fischer, J: *see* Chrzanowski, K, Fischer, J, Gutschwager, B, and Wrona, W

Fletcher, DI and Beynon, JH: Development of a Machine for Closely Controlled Rolling Contact Fatigue and Wear Testing, July, 267

© 2000 by the American Society for Testing and Materials

Friesel, M: Stochastic Resonance in Acoustic Emission, Jan., 52

Frost, JD and Saussus, DR: Efficient Mitigation of Edge Effects in Nearest-Neighbor Analysis, Jan., 3

Fwa, TF: *see* Tan, SA, Fwa, TF, and Guwe, VY

G

Giacin, JR: *see* Newsham, MD, Giacin, JR, and Singh, SP

Gilbert, CJ: *see* Chen, D, Gilbert, CJ, and Ritchie, RO

Gisi, AJ: *see* Hossain, MS, Chowdhury, T, Chitrapu, S, and Gisi, AJ

Gonzales, GR: *see* Varela, F, Martinez, LT, Gonzales, GR, and Biempica, CB

Greenberg, Y, Itzhak, D, and Kohn, G: Ultrasonic Monitoring of a Low-Temperature Diffusion Bonding Process, March, 88

Gutschwager, B: *see* Chrzanowski, K, Fischer, J, Gutschwager, B, and Wrona, W

Guwe, VY: *see* Tan, SA, Fwa, TF, and Guwe, VY

H

Haake, SJ: *see* Pacey, MN, Haake, SJ, and Patterson, EA

Hand, AJ, Epps, JA, and Sebaaly, PE: Precision of ASTM D 5821 Standard Test Method for Determining the Percentage of Fractured Particles in Coarse Aggregate, March, 67

Hao, H: *see* Wu, C, Hao, H, and Zhou, Y

Hashida, T:
see Komazai, S, Hashida, T, Shoji, T, and Suzuki, K
see Saucedo-Munoz, ML, Matsushita, T, Hashida, T, Shoji, T, and Takahashi, H

Hashimoto, A, Miyazaki, T, Kang, HG, Noguchi, H, and Ogi, K: Estimation of Particle Size Distribution in Materials in the Case of Spheroidal Particles Using Quantitative Microscopy, Sept., 367

Hewitt, RL: Effects of Fixturing Mass on Dynamic Strain Errors in Structural Fatigue Testing, Nov., 462

Hodge, JQ: *see* Wolfenden, A and Hodge, JQ

Horiguchi, K: *see* Shindo, Y, Horiguchi, K, Sugo, T, and Mano, Y

Hossain, MS, Parker, F, and Kandhal, PS: Comparison and Evaluation of Tests for Coarse Aggregate Particle Shape, Angularity, and Surface Texture, March, 77

Hossain, MS, Chowdhury, T, Chitrapu, S, and Gisi, AJ: Network-Level Pavement Deflection Testing and Structural Evaluation, May, 199

I

Itani, AM and Woodgate, J: Displacement Ductility of Steel Members under Axial Tension, Jan., 22

Itzhak, D: *see* Greenberg, Y, Itzhak, D, and Kohn, G

J

Javidrad, F: Experimental and Numerical Study of Delamination Growth Induced by a Transverse Crack in Unidirectional Laminates Subjected to Bending loads, Jan., 12

Jebaraj, PM: *see* Reddy, AC, Murti, VS, and Jebaraj, PM

Jia, W: *see* Li, M, Wu, YS, Xu, BH, Jia, W, and Zhao, W

Joshi, RC, Chatterji, S, Achari, G, and Mackie, P: Reexamination of ASTM C 1202—Standard Test Method for Electical Indication of Concrete's Ability to Resist Chloride Ion Penetration, Jan., 59

K

Kandhal, PS:
see Cooley Jr., LA and Kandhal, PS
see Hossain, MS, Parker, F, and Kandhal, PS

Kang, HG: *see* Hashimoto, A, Miyazaki, T, Kang, HG, Noguchi, H, and Ogi, K

Kisielewski, RW, Routson, LB, Chaput, MP, and Lytle, CD: Modification of ASTM F 1671-97a, Resistance of Materials to Penetration by Blood-Borne Pathogens, for Use with Elastomeric Materials, March, 136

Knudsen, E: *see* Burgess, G, Singh, P, and Knudsen, E

Kohn, G: *see* Greenberg, Y, Itzhak, D, and Kohn, G

Kolay, PK and Singh, DN: Effect of Zeolitization on Compaction, Consolidation, and Permeation Characteristics of a Lagoon Ash, Nov., 425

Komazai, S, Hashida, T, Shoji, T, and Suzuki, K: Development of Small Punch Tests for Creep Property Measurement of Tungsten-Alloyed 9% Cr Ferritic Steels, July, 249

L

Li, M, Wu, YS, Xu, BH, Jia, W, and Zhao, W: An On-Line Correction Technique of Random Loading with a Real Time Signal Processor for a Laboratory Fatigue Test, Sept., 409

Li, S and White, TD: Falling-Weight Deflectometer Sensor Location in the Backcalculation of Concrete Pavement Moduli, May, 166

Lim, GH: *see* Tan, ACH, Chua, PSK, and Lim, GH

Lu, J: *see* Yazdi, SR, Retraint, D, and Lu, J

Lytle, CD: *see* Kisielewski, RW, Routson, LB, Chaput, MP, and Lytle, CD

M

MacGregor, ID and Chiu, KY: Porosity and Wear Resistance in Stone Flooring Tiles, May, 149

Mackie, P: *see* Joshi, RC, Chatterji, S, Achari, G, and Mackie, P

Mano, Y: *see* Shindo, Y, Horiguchi, K, Sugo, T, and Mano, Y

Manohar, K, Yarbrough, DW, and Booth, JR: Measurement of Apparent Thermal Conductivity by the Thermal Probe Method, Sept., 345

Marasco, PL: A Comparison of Two Methods for Measuring Light Scattered from Aerospace Transparencies, Nov., 494

Martinez, LT: *see* Varela, F, Martinez, LT, Gonzales, GR, and Biempica, CB

Matsushita, T: *see* Saucedo-Munoz, ML, Matsushita, T, Hashida, T, Shoji, T, and Takahashi, H

Merah, N: DC Potential Drop Calibration in Creep-Fatigue Loading Conditions, July, 301

Miyata, T, Tagawa, T, and Yang, H: A Proposal for Specimen Size Requirements in Toughness Qualification with the Weibull Stress Criterion, Jan., 62

Miyazaki, T: *see* Hashimoto, A, Miyazaki, T, Kang, HG, Noguchi, H, and Ogi, K

Munz, D: *see* Fett, T and Munz, D

Murphy, JF: Transverse Vibration of a Simply Supported Frustum of a Right Circular Cone, Sept., 415

Murti, VS: *see* Reddy, AC, Murti, VS, and Jebaraj, PM

N

Newsham, MD, Giacin, JR, and Singh, SP: Product/Package Interaction: Effect of Physical, Chemical, and Climatic Environments, March, 103

Noguchi, H: *see* Hashimoto, A, Miyazaki, T, Kang, HG, Noguchi, H, and Ogi, K

O

Obaidat, MT: *see* Abdel-Halim, MAH and Obaidat, MT

Ogi, K: *see* Hashimoto, A, Miyazaki, T, Kang, HG, Noguchi, H, and Ogi, K

P

Pacey, MN, Haake, SJ, and Patterson, EA: A Novel Instrument for Automated Principal Strain Separation in Reflection Photoelasticity, July, 229

Pandian, NS and Balasubramonian, S: Leaching Studies on ASTM Type F Fly Ashes by an Accelerated Process Method, Jan., 44

Pandian, NS and Balasubramonian, S: Leaching Behavior of Indian Fly Ahes by an Oedometer Method, Sept., 403

Pandian, NS, Sridharan, A, and Srinivas, S: Angle of Internal Friction for Pond Ashes, Nov., 443

Pandian, NS: *see* Sridharan, A, Pandian, NS, and Prasad, PS

Parameswaran, V: *see* Srivastava, V, Shukla, A, and Parameswaran, V

Parker, F: *see* Hossain, MS, Parker, F, and Kandhal, PS

Patterson, EA: *see* Pacey, MN, Haake, SJ, and Patterson, EA

Prasad, PS: *see* Sridharan, A, Pandian, NS, and Prasad, PS

Prashanth, JP: *see* Sivapullaiah, PV, Prashanth, JP, and Sridharan, A

Pratheepthinthong, S: *see* Singh, SP and Pratheepthinthong, S

Proctor, CH: Diagnostic Scores for Interlaboratory Study Data, July, 307

R

Reddy, AC, Murti, VS, and Jebaraj, PM: A New Technique for Measurement of the Strength of Ceramic Shells in the Precision Casting Process, May, 224

Retraint, D: *see* Yazdi, SR, Retraint, D, and Lu, J

Ritchie, RO: *see* Chen, D, Gilbert, CJ, and Ritchie, RO

Routson, LB: *see* Kisielewski, RW, Routson, LB, Chaput, MP, and Lytle, CD

Ruggiero, SS: *see* Bronski, MB and Ruggiero, SS

S

Saucedo-Munoz, ML, Matsushita, T, Hashida, T, Shoji, T, and Takahashi, H: Development of a Multiple Linear Regression Model to Estimate the Ductile-Brittle Transition Temperature of Ferritic Low-Alloy Steels Based on the Relationship Between Small Punch and Charpy V-Notch Tests, Sept., 352

Saussus, DR: *see* Frost, JD and Saussus, DR

Sauter, HJ and Crouch, LK: An Improved Capping Technique for Excavatable Controlled Low Strength Material Compressive Strength Cylinders, May, 143

Savas, TP and Earthman, JC: Fatigue and Stress Analysis of a Novel Test Coupon Geometry Developed for Hydraulic Pressure Impulse Testing, Sept., 359

Savitha, S: *see* Sivapullaiah, PV and Savitha, S

Sebaaly, PE: *see* Hand, AJ, Epps, JA, and Sebaaly, PE

Shindo, Y, Horiguchi, K, Sugo, T, and Mano, Y: Finite Element Analysis and Small Punch Testing for Determining the Cryogenic Fracture Toughness of Austenitic Stainless Steel Welds, Nov., 431

Shoji, T:
see Komazai, S, Hashida, T, Shoji, T, and Suzuki, K
see Saucedo-Munoz, ML, Matsushita, T, Hashida, T, Shoji, T, and Takahashi, H

Shukla, A: *see* Srivastava, V, Shukla, A, and Parameswaran, V

Singh, DN: *see* Kolay, PK and Singh, DN

Singh, P: *see* Burgess, G, Singh, P, and Knudsen, E

Singh, SP and Pratheepthinthong, S: Loss of Compression Strength in Corrugated Shipping Containers Shipped in the Single Parcel Environment, July, 242

Singh, SP: *see* Newsham, MD, Giacin, JR, and Singh, SP

Sivapullaiah, PV, Prashanth, JP, and Sridharan, A: Optimum Lime Content for Fly Ashes and the Role of the Curing Period, Nov., 499

Sivapullaiah, PV and Savitha, S: Consolidation Behavior of Bentonite in Electrolyte Solution, Nov., 519

Sorem, JR: *see* Badr, EA, Sorem, JR, and Tipton, SM

Sridharan, A, Pandian, NS, and Prasad, PS: Liquid Limit Determination of Class F Coal Ash, Nov., 455

Sridharan, A:
see Pandian, NS, Sridharan, A, and Srinivas, S
see Sivapullaiah, PV, Prashanth, JP, and Sridharan, A

Srinivas, S: *see* Pandian, NS, Sridharan, A, and Srinivas, S

Srivastava, V, Shukla, A, and Parameswaran, V: Experimental Evaluation of the Dynamic Shear Strength of Adhesive-Bonded Lap Joints, Nov., 438

Stroup-Gardiner, M.: Identifying Segregation in Hot Mix Asphalt Pavements Using Rolling Nuclear Gage Measurements and Infrared Imaging, March, 121

Sugo, T: *see* Shindo, Y, Horiguchi, K, Sugo, T, and Mano, Y

Suzuki, K: *see* Komazai, S, Hashida, T, Shoji, T, and Suzuki, K

Suzuki, N: Low-Cycle Fatigue Characteristics of Precipitation-Hardened Superalloys at Cryogenic Temperatures, July, 257

T

Tagawa, T: *see* Miyata, T, Tagawa, T, and Yang, H

Takahashi, H: *see* Saucedo-Munoz, ML, Matsushita, T, Hashida, T, Shoji, T, and Takahashi, H

Tan, ACH, Chua, PSK, and Lim, GH: Condition Monitoring of a Water Hydraulic Cylinder by Vibration Analysis, Nov., 507

Tan, SA, Fwa, TF, and Guwe, VY: Laboratory Measurements and Analysis of Clogging Mechanism of Porous Asphalt Mixes, May, 207

Tevet, O: *see* Yeheskel, O and Tevet, O

Tipton, SM: *see* Badr, EA, Sorem, JR, and Tipton, SM

V

Varela, F, Martinez, LT, Gonzales, GR, and Biempica, CB: The Influence of

Specimen Size on the Fracture Behavior of a Structural Steel at Different Temperatures, July, 276

W

Wang, HF and Wang, JP: Fault Diagnosis Theory: Method and Application Based on Multisensor Data Fusion, Nov., 513

Wang, JP: *see* Wang, HF and Wang, JP

Wang, T: *see* Wang, W and Wang, T

Wang, W and Wang, T: The *U* Test for Outlier Detection in Normal Distributions with Known σ, March, 109

White, TD: *see* Li, S and White, TD

Wolfenden, A and Hodge, JQ: Dynamic Shear Modulus and Damping in Iron-Copper and Steel-Based Metal Matrix Composites, May, 176

Woodgate, J: *see* Itani, AM and Woodgate, J

Woods, TO: Cyclic Loading and Creep of Intracranial Aneurysm Clips, Sept., 337

Wrona, W: *see* Chrzanowski, K, Fischer, J, Gutschwager, B, and Wrona, W

Wu, C, Hao, H, and Zhou, Y: Statistical Properties of Bukit Timah Granite in Singapore, Jan., 36

Wu, YS: *see* Li, M, Wu, YS, Xu, BH, Jia, W, and Zhao, W

X

Xu, BH: *see* Li, M, Wu, YS, Xu, BH, Jia, W, and Zhao, W

Y

Yang, H: *see* Miyata, T, Tagawa, T, and Yang, H

Yarbrough, DW: *see* Manohar, K, Yarbrough, DW, and Booth, JR

Yarosh, KF: *see* Beers, PE and Yarosh, KF

Yazdi, SR, Retraint, D, and Lu, J: Experimental Study of Residual Stress Distributions in Quenched Parts by the Incremental Large Hold Drilling Method and by the Neutron Diffraction Method, July, 282

Yeheskel, O and Tevet, O: A New Assessment Method for the Bulk Modulus and the Poisson's Ratio of Porous Ceramics, May, 189

Z

Zhao, W: *see* Li, M, Wu, YS, Xu, BH, Jia, W, and Zhao, W

Zhou, Y: *see* Wu, C, Hao, H, and Zhou, Y

Journal of Testing and Evaluation
Subject Index
Volume 28, 2000

A

Abrasion
Evaluation of the Gavarti Associates—Comprehensive Abrasion Tester (Burgess, G, Singh, P, and Knudsen, E), Sept., 420

Adhesive shear strength
Experimental Evaluation of the Dynamic Shear Strength of Adhesive-Bonded Lap Joints (Srivastava, V, Shukla, A, and Parameswaran, V), Nov., 438

Aggregate angularity
Precision of ASTM D 5821 Standard Test Method for Determining the Percentage of Fractured Particles in Coarse Aggregate (Hand, AJ, Epps, JA, and Sebaaly, PE), March, 67

Aggregate quality
Comparison and Evaluation of Tests for Coarse Aggregate Particle Shape, Angularity, and Surface Texture (Hossain, MS, Parker, F, and Kandhal, PS), March, 77

Aircraft
Effects of Fixturing Mass on Dynamic Strain Errors in Structural Fatigue Testing (Hewitt, RL), Nov., 462

Aluminum alloys
Experimental Study of Residual Stress Distributions in Quenched Parts by the Incremental Large Hold Drilling Method and by the Neutron Diffraction Method (Yazdi, SR, Retraint, D, and Lu, J), July, 282

Anchor strength
Measurement of Anchor Strength in Non-Rigid Substrates (Farquhar, T, Conyers, MD, and Dixon, JT), March, 112

Angle of internal friction
Angle of Internal Friction for Pond Ashes (Pandian, NS, Sridharan, A, and Srinivas, S), Nov., 443

Angle of repose
Angle of Internal Friction for Pond Ashes (Pandian, NS, Sridharan, A, and Srinivas, S), Nov., 443

ANOVA
Evaluation of the Autofrettage Effect on Fatigue Lives of Steel Blocks with Crossbores Using a Statistical and a Strain-Based Method (Badr, EA, Sorem, JR, and Tipton, SM), May, 181

APA
Evaluation of Density Gradients in Loaded Wheel Tester Samples (Cooley Jr., LA and Kandhal, PS), Nov., 473

Apparent activation energy
Development of Small Punch Tests for Creep Property Measurement of Tungsten-Alloyed 9% Cr Ferritic Steels (Komazai, S, Hashida, T, Shoji, T, and Suzuki, K), July, 249

Asphalt mixes
Laboratory Measurements and Analysis of Clogging Mechanism of Porous Asphalt Mixes (Tan, SA, Fwa, TF, and Guwe, VY), May, 207

Asphalt pavement analyzer
Evaluation of Density Gradients in Loaded Wheel Tester Samples (Cooley Jr., LA and Kandhal, PS), Nov., 473

Asphalt pavements
Network-Level Pavement Deflection Testing and Structural Evaluation (Hossain, MS, Chowdhury, T, Chitrapu, S, and Gisi, AJ), May, 199

ASTM D 1003
A Comparison of Two Methods for Measuring Light Scattered from Aerospace Transparencies (Marasco, PL), Nov., 494

ASTM E 167
A Comparison of Two Methods for Measuring Light Scattered from Aerospace Transparencies (Marasco, PL), Nov., 494

Austenitic stainless steels
Finite Element Analysis and Small Punch Testing for Determining the Cryogenic Fracture Toughness of Austenitic Stainless Steel Welds (Shindo, Y, Horiguchi, K, Sugo, T, and Mano, Y), Nov., 431

B

Backcalculation
Falling-Weight Deflectometer Sensor Location in the Backcalculation of Concrete Pavement Moduli (Li, S and White, TD), May, 166

Barrier test
Modification of ASTM F 1671-97a, Resistance of Materials to Penetration by Blood-Borne Pathogens, for Use with Elastomeric Materials (Kisielewski, RW, Routson, LB, Chaput, MP, and Lytle, CD), March, 136

Bending strength
A New Technique for Measurement of the Strength of Ceramic Shells in the Precision Casting Process (Reddy, AC, Murti, VS, and Jebaraj, PM), May, 224

Bentonite
Consolidation Behavior of Bentonite in Electrolyte Solution (Sivapullaiah, PV and Savitha, S), Nov., 519

Bursting strength
A New Technique for Measurement of the Strength of Ceramic Shells in the Precision Casting Process (Reddy, AC, Murti, VS, and Jebaraj, PM), May, 224

C

Calcium silicate hydrate
Optimum Lime Content for Fly Ashes and the Role of the Curing Period (Sivapullaiah, PV, Prashanth, JP, and Sridharan, A), Nov., 499

Capping
An Improved Capping Technique for Excavatable Controlled Low Strength Material Compressive Strength Cylinders (Sauter, HJ and Crouch, LK), May, 143

Carbonitriding
Characterization of Mechanical Properties in Surface-Treated Materials (Batista, AC and Dias, AM), May, 217

© 2000 by the American Society for Testing and Materials

Caulking
Remedial Sealant Procedures for Fixed Glass and Curtain Walls (Beers, PE and Yarosh, KF), March, 131

Ceramics
In Situ Measurement of Fatigue Crack Growth Rates in a Silicon Carbide Ceramic at Elevated Temperatures Using a DC Potential System (Chen, D, Gilbert, CJ, and Ritchie, RO), July, 236

Characterization
Effect of Zeolitization on Compaction, Consolidation, and Permeation Characteristics of a Lagoon Ash (Kolay, PK and Singh, DN), Nov., 425

Charpy V-notch test
Development of a Multiple Linear Regression Model to Estimate the Ductile-Brittle Transition Temperature of Ferritic Low-Alloy Steels Based on the Relationship Between Small Punch and Charpy V-Notch Tests (Saucedo-Munoz, ML, Matsushita, T, Hashida, T, Shoji, T, and Takahashi, H), Sept., 352

Chemical interaction
Product/Package Interaction: Effect of Physical, Chemical, and Climatic Environments (Newsham, MD, Giacin, JR, and Singh, SP), March, 103

Chloride
Reexamination of ASTM C 1202—Standard Test Method for Electical Indication of Concrete's Ability to Resist Chloride Ion Penetration (Joshi, RC, Chatterji, S, Achari, G, and Mackie, P), Jan., 59

Clay
Consolidation Behavior of Bentonite in Electrolyte Solution (Sivapullaiah, PV and Savitha, S), Nov., 519

Cleavage
The Influence of Specimen Size on the Fracture Behavior of a Structural Steel at Different Temperatures (Varela, F, Martinez, LT, Gonzales, GR, and Biempica, CB), July, 276

Clogging mechanism
Laboratory Measurements and Analysis of Clogging Mechanism of Porous Asphalt Mixes (Tan, SA, Fwa, TF, and Guwe, VY), May, 207

Closed-form algorithm
Falling-Weight Deflectometer Sensor Location in the Backcalculation of Concrete Pavement Moduli (Li, S and White, TD), May, 166

CLSM cylinders
An Improved Capping Technique for Excavatable Controlled Low Strength Material Compressive Strength Cylinders (Sauter, HJ and Crouch, LK), May, 143

Coarse aggregate
Precision of ASTM D 5821 Standard Test Method for Determining the Percentage of Fractured Particles in Coarse Aggregate (Hand, AJ, Epps, JA, and Sebaaly, PE), March, 67

Collaborative study
Diagnostic Scores for Interlaboratory Study Data (Proctor, CH), July, 307

Compaction
Effect of Zeolitization on Compaction, Consolidation, and Permeation Characteristics of a Lagoon Ash (Kolay, PK and Singh, DN), Nov., 425

Compliance method
The Influence of Specimen Size on the Fracture Behavior of a Structural Steel at Different Temperatures (Varela, F, Martinez, LT, Gonzales, GR, and Biempica, CB), July, 276

Compression strength
Loss of Compression Strength in Corrugated Shipping Containers Shipped in the Single Parcel Environment (Singh, SP and Pratheepthinthong, S), July, 242

Concrete construction
Assessment of Misalignments in Some Selected Buildings in Jordan and Their Structural Effects (Abdel-Halim, MAH and Obaidat, MT), Nov., 485

Condition monitoring
Condition Monitoring of a Water Hydraulic Cylinder by Vibration Analysis (Tan, ACH, Chua, PSK, and Lim, GH), Nov., 507

Consolidation
Consolidation Behavior of Bentonite in Electrolyte Solution (Sivapullaiah, PV and Savitha, S), Nov., 519

Control
Effects of Fixturing Mass on Dynamic Strain Errors in Structural Fatigue Testing (Hewitt, RL), Nov., 462

Corrugated shipping containers
Loss of Compression Strength in Corrugated Shipping Containers Shipped in the Single Parcel Environment (Singh, SP and Pratheepthinthong, S), July, 242

Crack
DC Potential Drop Calibration in Creep-Fatigue Loading Conditions (Merah, N), July, 301

Crack growth
Experimental and Numerical Study of Delamination Growth Induced by a Transverse Crack in Unidirectional Laminates Subjected to Bending loads (Javidrad, F), Jan., 12

Crack monitoring
In Situ Measurement of Fatigue Crack Growth Rates in a Silicon Carbide Ceramic at Elevated Temperatures Using a DC Potential System (Chen, D, Gilbert, CJ, and Ritchie, RO), July, 236

Crack tip stress field
A Proposal for Specimen Size Requirements in Toughness Qualification with the Weibull Stress Criterion (Miyata, T, Tagawa, T, and Yang, H), Jan., 62

Creep
Cyclic Loading and Creep of Intracranial Aneurysm Clips (Woods, TO), Sept., 337
Development of Small Punch Tests for Creep Property Measurement of Tungsten-Alloyed 9% Cr Ferritic Steels (Komazai, S, Hashida, T, Shoji, T, and Suzuki, K), July, 249

Crossbores
Evaluation of the Autofrettage Effect on Fatigue Lives of Steel Blocks with Crossbores Using a Statistical and a Strain-Based Method (Badr, EA, Sorem, JR, and Tipton, SM), May, 181

Cryogenic temperatures
Low-Cycle Fatigue Characteristics of Precipitation-Hardened Superalloys at Cryogenic Temperatures (Suzuki, N), July, 257

Cryomechanics
Finite Element Analysis and Small Punch Testing for Determining the Cryogenic Fracture Toughness of Austenitic Stainless Steel Welds (Shindo, Y, Horiguchi, K, Sugo, T, and Mano, Y), Nov., 431

Curing period
Optimum Lime Content for Fly Ashes and the Role of the Curing Period (Sivapullaiah, PV, Prashanth, JP, and Sridharan, A), Nov., 499

Cyclic loading
Cyclic Loading and Creep of Intracranial Aneurysm Clips (Woods, TO), Sept., 337

D

Damage boundary
Extension and Evaluation of Fatigue Model for Product Shock Fragility Used in Package Design (Burgess, G), March, 116

Damping behavior
Dynamic Shear Modulus and Damping in Iron-Copper and Steel-Based Metal Matrix Composites (Wolfenden, A and Hodge, JQ), May, 176

Deflection
Network-Level Pavement Deflection Testing and Structural Evaluation (Hossain, MS, Chowdhury, T, Chitrapu, S, and Gisi, AJ), May, 199

Delamination
Experimental and Numerical Study of Delamination Growth Induced by a Transverse Crack in Unidirectional Laminates Subjected to Bending loads (Javidrad, F), Jan., 12

Dempster-Shafer evidence theory
Fault Diagnosis Theory: Method and Application Based on Multisensor Data Fusion (Wang, HF and Wang, JP), Nov., 513

Density gradient
Evaluation of Density Gradients in Loaded Wheel Tester Samples (Cooley Jr., LA and Kandhal, PS), Nov., 473

Diesel engine
Fault Diagnosis Theory: Method and Application Based on Multisensor Data Fusion (Wang, HF and Wang, JP), Nov., 513

Diffusion bonding
Ultrasonic Monitoring of a Low-Temperature Diffusion Bonding Process (Greenberg, Y, Itzhak, D, and Kohn, G), March, 88

Displacement ductility
Displacement Ductility of Steel Members under Axial Tension (Itani, AM and Woodgate, J), Jan., 22

Drainage plane walls
Exterior Insulation and Finish Systems (EIFS) Use in Wood-Framed Residential Construction: Design Concepts to Avoid Common Moisture Intrusion Problems (Bronski, MB and Ruggiero, SS), July, 290

Drying capacity
Exterior Insulation and Finish Systems (EIFS) Use in Wood-Framed Residential Construction: Design Concepts to Avoid Common Moisture Intrusion Problems (Bronski, MB and Ruggiero, SS), July, 290

Ductile-brittle transition temperature
Development of a Multiple Linear Regression Model to Estimate the Ductile-Brittle Transition Temperature of Ferritic Low-Alloy Steels Based on the Relationship Between Small Punch and Charpy V-Notch Tests (Saucedo-Munoz, ML, Matsushita, T, Hashida, T, Shoji, T, and Takahashi, H), Sept., 352

Dynamic errors
Effects of Fixturing Mass on Dynamic Strain Errors in Structural Fatigue Testing (Hewitt, RL), Nov., 462

Dynamic hardness
Injuries Due to Traditional and Soft-Core Centered Baseball Impacts: A Review (Beaumont, RD), May, 155

E

Edge effects
Efficient Mitigation of Edge Effects in Nearest-Neighbor Analysis (Frost, JD and Saussus, DR), Jan., 3

Elastic constants
A New Assessment Method for the Bulk Modulus and the Poisson's Ratio of Porous Ceramics (Yeheskel, O and Tevet, O), May, 189

Elastic modulus
A New Assessment Method for the Bulk Modulus and the Poisson's Ratio of Porous Ceramics (Yeheskel, O and Tevet, O), May, 189

Electrical boundaries
Measurement of Young's Moduli for Lead Zirconate Titanate (PZT) Ceramics (Fett, T and Munz, D), Jan., 27

Electrical-potential method
In Situ Measurement of Fatigue Crack Growth Rates in a Silicon Carbide Ceramic at Elevated Temperatures Using a DC Potential System (Chen, D, Gilbert, CJ, and Ritchie, RO), July, 236

Electrolyte process
Reexamination of ASTM C 1202—Standard Test Method for Electical Indication of Concrete's Ability to Resist Chloride Ion Penetration (Joshi, RC, Chatterji, S, Achari, G, and Mackie, P), Jan., 59

Elevated temperatures
In Situ Measurement of Fatigue Crack Growth Rates in a Silicon Carbide Ceramic at Elevated Temperatures Using a DC Potential System (Chen, D, Gilbert, CJ, and Ritchie, RO), July, 236

Equilibrium water content nonplastic
Liquid Limit Determination of Class F Coal Ash (Sridharan, A, Pandian, NS, and Prasad, PS), Nov., 455

Exterior claddings
Exterior Insulation and Finish Systems (EIFS) Use in Wood-Framed Residential Construction: Design Concepts to Avoid Common Moisture Intrusion Problems (Bronski, MB and Ruggiero, SS), July, 290

Exterior wall durability
Exterior Insulation and Finish Systems (EIFS) Use in Wood-Framed Residential Construction: Design Concepts to Avoid Common Moisture Intrusion Problems (Bronski, MB and Ruggiero, SS), July, 290

F

Fatigue
DC Potential Drop Calibration in Creep-Fatigue Loading Conditions (Merah, N), July, 301

Fatigue crack propagation
In Situ Measurement of Fatigue Crack Growth Rates in a Silicon Carbide Ceramic at Elevated Temperatures Using a DC Potential System (Chen, D, Gilbert, CJ, and Ritchie, RO), July, 236

Fatigue life
Evaluation of the Autofrettage Effect on Fatigue Lives of Steel Blocks with Crossbores Using a Statistical and a Strain-Based Method (Badr, EA, Sorem, JR, and Tipton, SM), May, 181

Fatigue strength
Low-Cycle Fatigue Characteristics of Precipitation-Hardened Superalloys at Cryogenic Temperatures (Suzuki, N), July, 257

Fatigue test
An On-Line Correction Technique of Random Loading with a Real Time Signal Processor for a Laboratory Fatigue Test (Li, M, Wu, YS, Xu, BH, Jia, W, and Zhao, W), Sept., 409

Fault diagnosis
Fault Diagnosis Theory: Method and Application Based on Multisensor Data Fusion (Wang, HF and Wang, JP), Nov., 513

Finite element analysis
Finite Element Analysis and Small Punch Testing for Determining the Cryogenic Fracture Toughness of Austenitic Stainless Steel Welds (Shindo, Y, Horiguchi, K, Sugo, T, and Mano, Y), Nov., 431

Finite element modeling
Fatigue and Stress Analysis of a Novel Test Coupon Geometry Developed for Hydraulic Pressure Impulse Testing (Savas, TP and Earthman, JC), Sept., 359

Flat particle
Comparison and Evaluation of Tests for Coarse Aggregate Particle Shape, Angularity, and Surface Texture (Hossain, MS, Parker, F, and Kandhal, PS), March, 77

Flexible substrates
Measurement of Anchor Strength in Non-Rigid Substrates (Farquhar, T, Conyers, MD, and Dixon, JT), March, 112

Fly ash
Optimum Lime Content for Fly Ashes and the Role of the Curing Period (Sivapullaiah, PV, Prashanth, JP, and Sridharan, A), Nov., 499

Fracture toughness
A Proposal for Specimen Size Requirements in Toughness Qualification with the Weibull Stress Criterion (Miyata, T, Tagawa, T, and Yang, H), Jan., 62
The Effect of Load and Crack Misalignment on Stress Intensity Factors for Bend-Type Fracture Toughness Specimens (Baratta, FI and Fett, T), March, 96

Fractured face
Comparison and Evaluation of Tests for Coarse Aggregate Particle Shape, Angularity, and Surface Texture (Hossain, MS, Parker, F, and Kandhal, PS), March, 77

Fractured particles
Precision of ASTM D 5821 Standard Test Method for Determining the Percentage of Fractured Particles in Coarse Aggregate (Hand, AJ, Epps, JA, and Sebaaly, PE), March, 67

Free lime
Leaching Behavior of Indian Fly Ahes by an Oedometer Method (Pandian, NS and Balasubramonian, S), Sept., 403

Free swell index
Optimum Lime Content for Fly Ashes and the Role of the Curing Period (Sivapullaiah, PV, Prashanth, JP, and Sridharan, A), Nov., 499

G

Geotechnical applications
Liquid Limit Determination of Class F Coal Ash (Sridharan, A, Pandian, NS, and Prasad, PS), Nov., 455

Granite
Porosity and Wear Resistance in Stone Flooring Tiles (MacGregor, ID and Chiu, KY), May, 149

Granites
Statistical Properties of Bukit Timah Granite in Singapore (Wu, C, Hao, H, and Zhou, Y), Jan., 36

Gross area
Displacement Ductility of Steel Members under Axial Tension (Itani, AM and Woodgate, J), Jan., 22

Gypsum wallboard
Measurement of Anchor Strength in Non-Rigid Substrates (Farquhar, T, Conyers, MD, and Dixon, JT), March, 112

H

Haze
A Comparison of Two Methods for Measuring Light Scattered from Aerospace Transparencies (Marasco, PL), Nov., 494

High-strength aluminum alloys
Fatigue and Stress Analysis of a Novel Test Coupon Geometry Developed for Hydraulic Pressure Impulse Testing (Savas, TP and Earthman, JC), Sept., 359

HMA segregation
Identifying Segregation in Hot Mix Asphalt Pavements Using Rolling Nuclear Gage Measurements and Infrared Imaging (Stroup-Gardiner, M.), March, 121

Hole drilling
Experimental Study of Residual Stress Distributions in Quenched Parts by the Incremental Large Hold Drilling Method and by the Neutron Diffraction Method (Yazdi, SR, Retraint, D, and Lu, J), July, 282

Hopkinson bar
Experimental Evaluation of the Dynamic Shear Strength of Adhesive-Bonded Lap Joints (Srivastava, V, Shukla, A, and Parameswaran, V), Nov., 438

Hot mix asphalt
Evaluation of Density Gradients in Loaded Wheel Tester Samples (Cooley Jr., LA and Kandhal, PS), Nov., 473

Hydroxyl
Reexamination of ASTM C 1202—Standard Test Method for Electical Indication of Concrete's Ability to Resist Chloride Ion Penetration (Joshi, RC, Chatterji, S, Achari, G, and Mackie, P), Jan., 59

I

Image analysis
Efficient Mitigation of Edge Effects in Nearest-Neighbor Analysis (Frost, JD and Saussus, DR), Jan., 3

Incidence method
A Novel Instrument for Automated Principal Strain Separation in Reflection Photoelasticity (Pacey, MN, Haake, SJ, and Patterson, EA), July, 229

Infrared thermography
Identifying Segregation in Hot Mix Asphalt Pavements Using Rolling Nuclear Gage Measurements and Infrared Imaging (Stroup-Gardiner, M.), March, 121

Interlaboratory studies
Method-Specific Precision and Bias Relationships Develped from Data Submitted During USEPA Wastewater Laboratory Performance Evaluation Studies (Britton, PW), Nov., 526

Intersection
Assessment of Misalignments in Some Selected Buildings in Jordan and Their Structural Effects (Abdel-Halim, MAH and Obaidat, MT), Nov., 485

Intracranial aneurysm clips
Cyclic Loading and Creep of Intracranial Aneurysm Clips (Woods, TO), Sept., 337

Iron-copper steel
Dynamic Shear Modulus and Damping in Iron-Copper and Steel-Based Metal Matrix Composites (Wolfenden, A and Hodge, JQ), May, 176

J

J-R curve
The Influence of Specimen Size on the Fracture Behavior of a Structural Steel at Different Temperatures (Varela, F, Martinez, LT, Gonzales, GR, and Biempica, CB), July, 276

L

Labels
Evaluation of the Gavarti Associates—Comprehensive Abrasion Tester (Burgess, G, Singh, P, and Knudsen, E), Sept., 420

Lagoon ash
Effect of Zeolitization on Compaction, Consolidation, and Permeation Characteristics of a Lagoon Ash (Kolay, PK and Singh, DN), Nov., 425

Laminate composites
Experimental and Numerical Study of Delamination Growth Induced by a Transverse Crack in Unidirectional Laminates Subjected to Bending loads (Javidrad, F), Jan., 12

Lap joint
Experimental Evaluation of the Dynamic Shear Strength of Adhesive-Bonded Lap Joints (Srivastava, V, Shukla, A, and Parameswaran, V), Nov., 438

Leaching
Leaching Behavior of Indian Fly Ahes by an Oedometer Method (Pandian, NS and Balasubramonian, S), Sept., 403
Leaching Studies on ASTM Type F Fly Ashes by an Accelerated Process Method (Pandian, NS and Balasubramonian, S), Jan., 44

Leakage
Condition Monitoring of a Water Hydraulic Cylinder by Vibration Analysis (Tan, ACH, Chua, PSK, and Lim, GH), Nov., 507

Light scatter
A Comparison of Two Methods for Measuring Light Scattered from Aerospace Transparencies (Marasco, PL), Nov., 494

Lime
Optimum Lime Content for Fly Ashes and the Role of the Curing Period (Sivapullaiah, PV, Prashanth, JP, and Sridharan, A), Nov., 499

Liquid liimit
Liquid Limit Determination of Class F Coal Ash (Sridharan, A, Pandian, NS, and Prasad, PS), Nov., 455

Load misalignment
The Effect of Load and Crack Misalignment on Stress Intensity Factors for Bend-Type Fracture Toughness Specimens (Baratta, FI and Fett, T), March, 96

Longitudinal road profile
Repeatability Analysis of Road Roughness Measurements (Divinsky, M), Sept., 378

M

Marble
Porosity and Wear Resistance in Stone Flooring Tiles (MacGregor, ID and Chiu, KY), May, 149

Masonry blocks
Assessment of Misalignments in Some Selected Buildings in Jordan and Their Structural Effects (Abdel-Halim, MAH and Obaidat, MT), Nov., 485

Material deterioration
Development of Small Punch Tests for Creep Property Measurement of Tungsten-Alloyed 9% Cr Ferritic Steels (Komazai, S, Hashida, T, Shoji, T, and Suzuki, K), July, 249

Measurement method
Diagnostic Scores for Interlaboratory Study Data (Proctor, CH), July, 307

Measurement system
Repeatability Analysis of Road Roughness Measurements (Divinsky, M), Sept., 378

Mechanical tests
Development of a Multiple Linear Regression Model to Estimate the Ductile-Brittle Transition Temperature of Ferritic Low-Alloy Steels Based on the Relationship Between Small Punch and Charpy V-Notch Tests (Saucedo-Munoz, ML, Matsushita, T, Hashida, T, Shoji, T, and Takahashi, H), Sept., 352

Metal ions
Leaching Studies on ASTM Type F Fly Ashes by an Accelerated Process Method (Pandian, NS and Balasubramonian, S), Jan., 44

Misalignments
Assessment of Misalignments in Some Selected Buildings in Jordan and Their Structural Effects (Abdel-Halim, MAH and Obaidat, MT), Nov., 485

Moisture entrapment
Exterior Insulation and Finish Systems (EIFS) Use in Wood-Framed Residential Construction: Design Concepts to Avoid Common Moisture Intrusion Problems (Bronski, MB and Ruggiero, SS), July, 290

Multiaxial stress states
Fatigue and Stress Analysis of a Novel Test Coupon Geometry Developed for Hydraulic Pressure Impulse Testing (Savas, TP and Earthman, JC), Sept., 359

N

Nearest-neighbor analysis
Efficient Mitigation of Edge Effects in Nearest-Neighbor Analysis (Frost, JD and Saussus, DR), Jan., 3

Net area
Displacement Ductility of Steel Members under Axial Tension (Itani, AM and Woodgate, J), Jan., 22

Neutron diffraction
Experimental Study of Residual Stress Distributions in Quenched Parts by the Incremental Large Hold Drilling Method and by the Neutron Diffraction Method (Yazdi, SR, Retraint, D, and Lu, J), July, 282

Nondestructive evaluation
A New Assessment Method for the Bulk Modulus and the Poisson's Ratio of Porous Ceramics (Yeheskel, O and Tevet, O), May, 189

Nondestructive inspection
Estimation of Particle Size Distribution in Materials in the Case of Spheroidal Particles Using Quantitative Microscopy (Hashimoto, A, Miyazaki, T, Kang, HG, Noguchi, H, and Ogi, K), Sept., 367

Nondestructive testing
Testing of Thermal Imagers for Nondestructive Thermal Testing Applications (Chrzanowski, K, Fischer, J, Gutschwager, B, and Wrona, W), Sept., 395

Nuclear density gages
Identifying Segregation in Hot Mix Asphalt Pavements Using Rolling Nuclear Gage Measurements and Infrared Imaging (Stroup-Gardiner, M.), March, 121

O

On-line correction of randm loading
An On-Line Correction Technique of Random Loading with a Real Time Signal Processor for a Laboratory Fatigue Test (Li, M, Wu, YS, Xu, BH, Jia, W, and Zhao, W), Sept., 409

Outliers
Diagnostic Scores for Interlaboratory Study Data (Proctor, CH), July, 307

P

Packaging
Extension and Evaluation of Fatigue Model for Product Shock Fragility Used in Package Design (Burgess, G), March, 116

Particle size
Angle of Internal Friction for Pond Ashes (Pandian, NS, Sridharan, A, and Srinivas, S), Nov., 443

Particle size distribution
Estimation of Particle Size Distribution in Materials in the Case of Spheroidal Particles Using Quantitative Microscopy (Hashimoto, A, Miyazaki, T, Kang, HG, Noguchi, H, and Ogi, K), Sept., 367

Pavement surface characteristics
Repeatability Analysis of Road Roughness Measurements (Divinsky, M), Sept., 378

Pavements
Falling-Weight Deflectometer Sensor Location in the Backcalculation of Concrete Pavement Moduli (Li, S and White, TD), May, 166

Permeability
A New Technique for Measurement of the Strength of Ceramic Shells in the Precision Casting Process (Reddy, AC, Murti, VS, and Jebaraj, PM), May, 224
Laboratory Measurements and Analysis of Clogging Mechanism of Porous Asphalt Mixes (Tan, SA, Fwa, TF, and Guwe, VY), May, 207

Piezoelectric ceramics
Measurement of Young's Moduli for Lead Zirconate Titanate (PZT) Ceramics (Fett, T and Munz, D), Jan., 27

Potential drop
DC Potential Drop Calibration in Creep-Fatigue Loading Conditions (Merah, N), July, 301

Power function
The *U* Test for Outlier Detection in Normal Distributions with Known σ (Wang, W and Wang, T), March, 109

Power transformation
Diagnostic Scores for Interlaboratory Study Data (Proctor, CH), July, 307

Precipitation
Leaching Studies on ASTM Type F Fly Ashes by an Accelerated Process Method (Pandian, NS and Balasubramonian, S), Jan., 44

Pressure impulse fatigue testing
Fatigue and Stress Analysis of a Novel Test Coupon Geometry Developed for Hydraulic Pressure Impulse Testing (Savas, TP and Earthman, JC), Sept., 359

Product
Product/Package Interaction: Effect of Physical, Chemical, and Climatic Environments (Newsham, MD, Giacin, JR, and Singh, SP), March, 103

Protective clothing
Modification of ASTM F 1671-97a, Resistance of Materials to Penetration by Blood-Borne Pathogens, for Use with Elastomeric Materials (Kisielewski, RW, Routson, LB, Chaput, MP, and Lytle, CD), March, 136

PZT ceramics
Measurement of Young's Moduli for Lead Zirconate Titanate (PZT) Ceramics (Fett, T and Munz, D), Jan., 27

Q

Quenching
Experimental Study of Residual Stress Distributions in Quenched Parts by the Incremental Large Hold Drilling Method and by the Neutron Diffraction Method (Yazdi, SR, Retraint, D, and Lu, J), July, 282

R

Rail/wheel
Development of a Machine for Closely Controlled Rolling Contact Fatigue and Wear Testing (Fletcher, DI and Beynon, JH), July, 267

Reduced injury factor
Injuries Due to Traditional and Soft-Core Centered Baseball Impacts: A Review (Beaumont, RD), May, 155

Repeatability
Evaluation of the Gavarti Associates—Comprehensive Abrasion Tester (Burgess, G, Singh, P, and Knudsen, E), Sept., 420

Residual stress
Experimental Study of Residual Stress Distributions in Quenched Parts by the Incremental Large Hold Drilling Method and by the Neutron Diffraction Method (Yazdi, SR, Retraint, D, and Lu, J), July, 282

Resilient modulus
Network-Level Pavement Deflection Testing and Structural Evaluation (Hossain, MS, Chowdhury, T, Chitrapu, S, and Gisi, AJ), May, 199

Rolling contact fatigue
Development of a Machine for Closely Controlled Rolling Contact Fatigue and Wear Testing (Fletcher, DI and Beynon, JH), July, 267

Rolling/sliding
Development of a Machine for Closely Controlled Rolling Contact Fatigue and Wear Testing (Fletcher, DI and Beynon, JH), July, 267

Roughness measurements
Repeatability Analysis of Road Roughness Measurements (Divinsky, M), Sept., 378

S

Sealant
Remedial Sealant Procedures for Fixed Glass and Curtain Walls (Beers, PE and Yarosh, KF), March, 131

Seismic survey
Statistical Properties of Bukit Timah Granite in Singapore (Wu, C, Hao, H, and Zhou, Y), Jan., 36

Severity index
Injuries Due to Traditional and Soft-Core Centered Baseball Impacts: A Review (Beaumont, RD), May, 155

Shear modulus
Dynamic Shear Modulus and Damping in Iron-Copper and Steel-Based Metal Matrix Composites (Wolfenden, A and Hodge, JQ), May, 176

Shock fragility
Extension and Evaluation of Fatigue Model for Product Shock Fragility Used in Package Design (Burgess, G), March, 116

Signal fraction
Stochastic Resonance in Acoustic Emission (Friesel, M), Jan., 52

Signal-to-noise ratio
Stochastic Resonance in Acoustic Emission (Friesel, M), Jan., 52

Silicone
Remedial Sealant Procedures for Fixed Glass and Curtain Walls (Beers, PE and Yarosh, KF), March, 131

Silver coating
Ultrasonic Monitoring of a Low-Temperature Diffusion Bonding Process (Greenberg, Y, Itzhak, D, and Kohn, G), March, 88

Simulation
Development of a Machine for Closely Controlled Rolling Contact Fatigue and Wear Testing (Fletcher, DI and Beynon, JH), July, 267

Single parcel shipping
Loss of Compression Strength in Corrugated Shipping Containers Shipped in the Single Parcel Environment (Singh, SP and Pratheepthinthong, S), July, 242

Small punch creep testing technique
Development of Small Punch Tests for Creep Property Measurement of Tungsten-Alloyed 9% Cr Ferritic Steels (Komazai, S, Hashida, T, Shoji, T, and Suzuki, K), July, 249

Small punch test
Development of a Multiple Linear Regression Model to Estimate the Ductile-Brittle Transition Temperature of Ferritic Low-Alloy Steels Based on the Relationship Between Small Punch and Charpy V-Notch Tests (Saucedo-Munoz, ML, Matsushita, T, Hashida, T, Shoji, T, and Takahashi, H), Sept., 352

Small punch testing
Finite Element Analysis and Small Punch Testing for Determining the Cryogenic Fracture Toughness of Austenitic Stainless Steel Welds (Shindo, Y, Horiguchi, K, Sugo, T, and Mano, Y), Nov., 431

Small-diameter logs
Transverse Vibration of a Simply Supported Frustum of a Right Circular Cone (Murphy, JF), Sept., 415

Spectral analysis
A Novel Instrument for Automated Principal Strain Separation in Reflection Photoelasticity (Pacey, MN, Haake, SJ, and Patterson, EA), July, 229

Stable austenite
Low-Cycle Fatigue Characteristics of Precipitation-Hardened Superalloys at Cryogenic Temperatures (Suzuki, N), July, 257

Stable crack growth
The Influence of Specimen Size on the Fracture Behavior of a Structural Steel at Different Temperatures (Varela, F, Martinez, LT, Gonzales, GR, and Biempica, CB), July, 276

Stainless steels
Low-Cycle Fatigue Characteristics of Precipitation-Hardened Superalloys at Cryogenic Temperatures (Suzuki, N), July, 257

Standard deviation
The *U* Test for Outlier Detection in Normal Distributions with Known σ (Wang, W and Wang, T), March, 109

Static actions
Assessment of Misalignments in Some Selected Buildings in Jordan and Their Structural Effects (Abdel-Halim, MAH and Obaidat, MT), Nov., 485

Static strength
Low-Cycle Fatigue Characteristics of Precipitation-Hardened Superalloys at Cryogenic Temperatures (Suzuki, N), July, 257

Statistical criteria
The *U* Test for Outlier Detection in Normal Distributions with Known σ (Wang, W and Wang, T), March, 109

Statistical relationships
Method-Specific Precision and Bias Relationships Develped from Data Submitted During USEPA Wastewater Laboratory Performance Evaluation Studies (Britton, PW), Nov., 526

Stochastic resonance
Stochastic Resonance in Acoustic Emission (Friesel, M), Jan., 52

Stone tiles
Porosity and Wear Resistance in Stone Flooring Tiles (MacGregor, ID and Chiu, KY), May, 149

Strain
A Novel Instrument for Automated Principal Strain Separation in Reflection Photoelasticity (Pacey, MN, Haake, SJ, and Patterson, EA), July, 229

Effects of Fixturing Mass on Dynamic Strain Errors in Structural Fatigue Testing (Hewitt, RL), Nov., 462

Strength
Statistical Properties of Bukit Timah Granite in Singapore (Wu, C, Hao, H, and Zhou, Y), Jan., 36

Stress (load) exponent
Development of Small Punch Tests for Creep Property Measurement of Tungsten-Alloyed 9% Cr Ferritic Steels (Komazai, S, Hashida, T, Shoji, T, and Suzuki, K), July, 249

Stress intensity
The Effect of Load and Crack Misalignment on Stress Intensity Factors for Bend-Type Fracture Toughness Specimens (Baratta, FI and Fett, T), March, 96

Stress-state triaxiality
The Influence of Specimen Size on the Fracture Behavior of a Structural Steel at Different Temperatures (Varela, F, Martinez, LT, Gonzales, GR, and Biempica, CB), July, 276

Superalloys
Low-Cycle Fatigue Characteristics of Precipitation-Hardened Superalloys at Cryogenic Temperatures (Suzuki, N), July, 257

Surface hardening
Characterization of Mechanical Properties in Surface-Treated Materials (Batista, AC and Dias, AM), May, 217

Surface treatments
Characterization of Mechanical Properties in Surface-Treated Materials (Batista, AC and Dias, AM), May, 217

Surface-sealed barrier walls
Exterior Insulation and Finish Systems (EIFS) Use in Wood-Framed Residential Construction: Design Concepts to Avoid Common Moisture Intrusion Problems (Bronski, MB and Ruggiero, SS), July, 290

Surveying instruments
Assessment of Misalignments in Some Selected Buildings in Jordan and Their Structural Effects (Abdel-Halim, MAH and Obaidat, MT), Nov., 485

T

Temperature measurement
Testing of Thermal Imagers for Nondestructive Thermal Testing Applications (Chrzanowski, K, Fischer, J, Gutschwager, B, and Wrona, W), Sept., 395

Testing
Product/Package Interaction: Effect of Physical, Chemical, and Climatic Environments (Newsham, MD, Giacin, JR, and Singh, SP), March, 103

Thermal conductivity
Measurement of Apparent Thermal Conductivity by the Thermal Probe Method (Manohar, K, Yarbrough, DW, and Booth, JR), Sept., 345

Thermal probe
Measurement of Apparent Thermal Conductivity by the Thermal Probe Method (Manohar, K, Yarbrough, DW, and Booth, JR), Sept., 345

Trace metals
Leaching Behavior of Indian Fly Ahes by an Oedometer Method (Pandian, NS and Balasubramonian, S), Sept., 403

Transverse vibration
Transverse Vibration of a Simply Supported Frustum of a Right Circular Cone (Murphy, JF), Sept., 415

Tungsten alloyed 9%cr ferritic steels
Development of Small Punch Tests for Creep Property Measurement of Tungsten-Alloyed 9% Cr Ferritic Steels (Komazai, S, Hashida, T, Shoji, T, and Suzuki, K), July, 249

U

Ultrasonic monitoring
Ultrasonic Monitoring of a Low-Temperature Diffusion Bonding Process (Greenberg, Y, Itzhak, D, and Kohn, G), March, 88

Uniaxial creep test
Development of Small Punch Tests for Creep Property Measurement of Tungsten-Alloyed 9% Cr Ferritic Steels (Komazai, S, Hashida, T, Shoji, T, and Suzuki, K), July, 249

V

Vibration analysis
Condition Monitoring of a Water Hydraulic Cylinder by Vibration Analysis (Tan, ACH, Chua, PSK, and Lim, GH), Nov., 507

Viral penetration
Modification of ASTM F 1671-97a, Resistance of Materials to Penetration by Blood-Borne Pathogens, for Use with Elastomeric Materials (Kisielewski, RW, Routson, LB, Chaput, MP, and Lytle, CD), March, 136

W

Wastewater analytical methods
Method-Specific Precision and Bias Relationships Develped from Data Submitted During USEPA Wastewater Laboratory Performance Evaluation Studies (Britton, PW), Nov., 526

Water hydraulic cylinder
Condition Monitoring of a Water Hydraulic Cylinder by Vibration Analysis (Tan, ACH, Chua, PSK, and Lim, GH), Nov., 507

Water intrusion
Exterior Insulation and Finish Systems (EIFS) Use in Wood-Framed Residential Construction: Design Concepts to Avoid Common Moisture Intrusion Problems (Bronski, MB and Ruggiero, SS), July, 290

Weibull stress
A Proposal for Specimen Size Requirements in Toughness Qualification with the Weibull Stress Criterion (Miyata, T, Tagawa, T, and Yang, H), Jan., 62

Z

Zeolites
Effect of Zeolitization on Compaction, Consolidation, and Permeation Characteristics of a Lagoon Ash (Kolay, PK and Singh, DN), Nov., 425